


Fig. 1



An Example of Source Data the first term was seen often the party of t

Infrared Technology

4001

249 12 22 optic align 4013 4062 1672 263 18 ന thermal image **05** 4012 wireless network 34 remote network or 10 Ylowten selesis 0 Objects 775 20 0 digital scan 4060 87_{4071} agemi latigib 0 တ 4072 bhoto-receptor or 62 0 4072 21604 4008 1681 4064 550 A near infrared B far infrared **C** infrared 4007 Actions Actions

SEARCH TERM - a string of text to be found within the Text or Claims of desired patents. Several related Action Search Terms may be combined to reflect a single Action. Search Terms can be classified as either "Action" or "Object." CELL - a cross section of Search Terms (Action x Object).

Cells are given a reference code (e.g. 401) to depict the combination of source Search Terms. The reference code may be followed by a C or T to note that the search terms were found within the Text or Claims of the included patents.

FIELD - a patent landscape defined by the composite of all cells. CLUSTER - a group of naturally related cells.




Fig. 5




Fig. 6

* Patents identified in any of these specific terms are rolled into one Action Data set.

Patent Crosstab Report 7009 7010 7009 7010 7001 7001 7001 7001
--

Fig. 7

Assignee Rollup

			900		,					Ì						7						-	2	-		5					
			100	200	249	222	27	4	34	9	0,40	0.28	0.17	0.19	0.02	ď	2 6	2			Э	5	2	11	10	12		2	6		:
			2000	32			-									c	3 6	7 6		+		2	9				1			3	
				3	263	206	22	55	4	Į,	0.48	0.27	0.10	-0.02	-0.12	30	3 =	- 5		14		10	9	3	2		3	8	-	6	
			and providence							1075 1075 1075			_			1		-			2										
			Š		34	8Z >>		Ŧ.	7.2	4	0.44	0.18	1.29	0.50	-0.79	\dagger		6			12									Ŧ	
			2000			**** ****	~,^			. :													2								
			600	₩-	-	بسنا	Ŕ	103	7	ĸ	0.20	0.20	0.69	0.33	98.0	-	+		-				2								
·			CHO.	3	``				``		`	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,			3°4 27	+	+	+		-			2					1			
			3		87	92	22	33	22	11	0.26	0.18	0.62	0.87	0.25	7	200	1 0		-	1	1	5			-		2			
			80.0		·	į	` .				* * *	1.35	,						3								4				
			0.03		62	49	. 13	16	14	₹2.	0.48	0.44	0.33	0.64	0.31	"	,		17	2							6				
		8026	-13		3			 `	¥ 3.7	iy J		`	-1111																		`
)			~~~	æ.,		200	*** **	Z	" *		, .	,		× ,	1			1	Ļ	\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \		<u>.</u>		Ļ						_	
		8025					V3.			, ,	Š	4		2.4	<u> </u>	30 N				173 Esco esc.	// ·	ring of		, , , , , ,	, ' ,''		,	`			
		8024	Recent	ratelita				3,	,	, , , , ,			,						**************************************	, , ,	W	CI	.	Mine.		io 	ໝົ	***		3	
		8023				, a , a,	1.00		,	`		3	1000		Ž	**************************************				N	N	6	Ö	×,	,		40	****	<i>/</i> /	3	
		8022	HIS Patentsule.		\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	7 %,	, A	ζ,	,		,	7.			38. 39.			8				£			ō,	12	5	5	10	10	
8021		- - - -	Hits	Π		\ \ \ \		;;;; ;;;;	, ·			32 7 2 2 2 2		((4) 27 37 37		£	Т	Т	Г	17	16	16	15	14	12	12	12	12	10	9	
∞								7	ıts	nts	%		******	tor 4	ctor 4	-	l			ıring										-	-
			900		Its	atents	atents	atents	ો Pater	nt Pate	au au	ninance	on Fact	ion Fac	tion Fa		2	5		inufactu										ectric	
			Assimee		Patents	Issued Patents	Applied Patents	Recent Patents	issued Recent Patents	Applied Recent Patents	Domin	Recent Dominance	Issued Innovation Factor 4	Innovat	s Innova		of Amer	nts		ng & Ma	achines	nics			Electric					ıstrial E	
						ैं	¥	nc N	Issue	Applie	(A)	Rec	panssi	Applied	redictive	n Kodal	States	nstrume		ota Mini	iness M	Electro	u	Aircraft	house	scan			stroud	ita Indu	
	(8002	8003	8004	8008	8008	\$00 <i>i</i>	8008	6008	0108	2 8011 Applied Innovation Factor 4	8012 Predictive Innovation Factor 4	1 Fastman Kodak	United States Of America	3 Texas Instruments	4 Xerox	Minnesota Mining & Manufacturing	6 Intl Business Machines	7 Hughes Electronics	8 Raytheon	9 Hughes Aircraft	10 Westinghouse Electric	11 Thermoscan	12 Konica	3 Polaroid	14 Barr & Stroud	15 Matsushita Industrial Electric	
	01	2	Rank				· .				2 2	, ,	() () () ()			۲	C	6	4	5	9	7	8	6	10	11	12	13	14	15	
	8001			,					-									-					1								

Fig. 8A


Fig. 8B

Assignee Rollup
Assignee Rollup

2884239889898989999999999999999999999999	/	ਹ:	II	Ţ	Γ	J	T	2	1	4	6	*	4	2	2	G,	15	N	ø	****	ĸ	2
######################################		Weighted			ľ		1	١. ا	11	e (ş ·	. 1	-		· v	¥	ş**	Ì				· w
		Veic			1		1	l l				`,		,		,				j .		
	/	5	Ц		Ľ		1		~~	- ()		.%		3		ì	,					
37777 33733	/	70.		- 1.		4		48	39	26	\aleph	2	22	14	18	16	14	Ť.	#	15	11	14
	8025	Weighted					1		`	1	č.		- (1	٠ ،	<;	,	·			1	-
	8	Vei 7	11	ľ			٠ [Š	Ž						,	-	``				
विवादियाम्बर्धाः स्वादिवास्य नित्त निन्निन निन्निन निन्निन निन्निन निन्निन निन्निन निन्निन निन्निन निन्निन निन			4	_	1	Ц	1															
	4	Recent	4	` .	1	1	ľ	4	Š	'n	4	2	2	ζ.	ω	,	7	æ	iO.	7		3
######################################	8024	Sec												, `			,	4.	,			Ì
			11	1	1		1	** 1	^.	· >		1					3/	i i		\square		
	3	TE .		. t	ļ	3	1	4	m	က	4	2	EN	r	1	,	: 8	3	သ	7.	1.5	(E)
स्त्री १०० । प्रमानवास्त्रभणन्त्रात्वस्य	8023	Recent	1	1	1	M	Ť	1	ź			۸,	,	÷,	.7		ľ				, z ,	- 1
			\coprod	_	1	H	4	Ĺ.,									-		, ,	3		
The state of the s	22	1	1 0110	f		ľ	ĺ	42	(r)	20	18	47	16	Ç	S.A	13	12		12	12	9	2
Particular Control Con	8022	1			1.		4		ļ	Š	,					14			<i></i>	1		ľ
And the state of t	١.	-	++	\perp	1	Ц	1				Ĩ.	1		-					_	٤	4	
**************************************	1	<u> </u>		· '	1		3	43	34	20	18	17	16	16	15	14	5	\$	5	12	9	9
	\		Ш		1_				L_	L_	Ш		أنك	, Y		<u> </u>	L					Ш

Cell Indices - Definitions

Innovation Factor 1 (Applied or Issued)







Fig. 9

Innovation Factor 4 (Applied or Issued)



Innovation Factor 4 =




Fig. 10

Cell Selection Matrix

Cell Selection Index is calculated for each cell based on the implied suitability for joint ventures or internal development:

			*				
90	optic align	0	14	ું. ઉ.5	0	9	1.5
05	thermal image	9)	1,75	14	0	0.75
04	wireless network	.25	· ×	.5	25		7
)	remote network or	 +	Ì	ĬŒ.	÷		
03	digital scan	1.25	,	Q	1.25		7.5
02	agsmi Istigib	4	`	15	16		15
01	photo-receptor	4	,	20	ပ		5
	photoreceptor or	20		. 4			
		A License	B	C License	A Develop	B Develop	C Develop
			~			~	
			1001			1002	

Fig. 11

Cell Selection Index





Fig. 12

Cell Selection Matrix



Cell Selection Score - Bubble Chart

fortifying I differentiating their - May indicate obsolescence licensing opportunities . 'Standard' holders are . Technology is mature . Consider partnership or 13115 - Market has found a High 13111 "standard" Dominance . Market is searching for a . Little current exploration - Broad interest in a field. Patents by individuals . Consider development . technology is under 13113 13109 Low developed "standard" High LOW Innovation 13114 0 13107 Dominance 13112 13108 13106 o noitevonnl




Fig. 13 &


14008	ngils aitqo	900	25.0	80.6	7.0	0.0	0.0	10.5	26.8	20.0	45.0	35.0	59.5	0.0	7.0	31.5	0.0	
14007	egsmi Ismadt	900	59.0	26.4	28.0	0.0	26.3	0.0	26.8	30.1	5.7	3,5	0.0	7.0	14.0	1.8	21.0	
14006	remote network or wireless network	C04	0.0	0.0	31,5	0.0	0.0	147.0	0.0	0.0	0.0	0.0	0.0	0.0	0'0	0.0	10.5	
14005	digital scan		5.1	0.0	0.0	10.0	0.0	0.0	0.0	28.6	0'0	0.0	0.0	0.0	0.0	0.0	0.0	
14004	əgsmi lstigib	C02	46.1	55.4	30.0	0'0	30.0	15.0	18.5	147.3	0'0	0.0	0.0	0.0	45.0	0'0	0'0	
14003	photoreceptor or	K734	61.4	0'0	0.0	1 400.0	40.0	0.0	0.0	0.0	0.0	0.0	0.0	260.0	0.0	0.0	0.0	
	14001	ÅSSIMMER	A	C	Ü	C	II.		C	1			×		M		0	
	14002	3000	7	("	X	ď	9 (6	7	a	90	, 5	7	12	1 6	2 7	15	

Fig. 14


											7	\Box	3		
14008	ngils ၁	ido 8	31.0	8.7	0.0	13.0	33.2		43.4	1	8.7	39	7		
14007	əgsmi lsm	C05 ther	100.0	44.7	0.0	44.5	4	2	9.6		73.7		35.6		
14006	ote network or ess network	remor giwire	0.0	21.4	0.0		0.0		0.0			0.0	0 7.1		
14005	al scan	g digite			16.7		000			0.0		0.0			
14004	əgsmi l	ełigib (16.7			81.8		0.0		0 25.0			
4000	receptor or	photo	15.4	0.0	0.0	10.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0		15010
		14001	Assignee	A	0	0 1		G	H -		¥ -	M	N	0	150
			ASS												
	,	14002 →	Rank	FI'	2 6	4	5	9 1	80	9 6	=	12 2	4	15	


Fig. 15A


Assignee Composite Score



Tomic are at most one of the grade of the control o







Graphical Representation of Assignee Composite Score




Fig. 16





Fig. 17






Fig. 19

20100




Fig. 20A

Assignee Specific Cell Selection Indices Alternative Partner 2

20200




Fig. 20B

11 11 11 11 11

Alternative Partner 3

20300

Assignee Specific Cell Selection Indices






Fig. 20C


Assignee Field Index vs. Patent Count



Standardized Assignee Cell Index - Application B



Standardized Assignee Cell Index - Application C






Fig. 24

Naturally Defined Clusters

Fig. 25A

Top Assignees Across a Selected Cluster

C02, C03, C05

C02, C03, C05

Eastman Kodak

Minnesota Mining & Manufacturing

Texas Instruments

United States Of America

Hughes Electronics

Polaroid

Raytheon

Matsushita Industrial Electric

Us Philips

He Holdings Dba Hughes Electronics

Honeywell

Agfa-Gevaert

Massachusettes Institute Of Technology

Cairns & Brother

Nec

Raytheon Ti Systems

Fig. 25B

the field stress. He stock govern the grant of the stress from the stress stress.

Top Inventors Eastman Kodak

Inventor	Hits	Patents	Weighted Hits	Weighted Action
Chapman Derek D	10	0	11	4
DeBoer. Charles D.	8	8	6	5
Evans. Steven	9	9	9	က
Burberry. Mitchell S.	လ	3	4	3
Schildkraut, Jav S.	2	2	3	4
Tuff. Lee W.	2	2	က	က
Momot. David	2	2	2	က
Bugner, Douglas E.	2	1	2	4
Bvers. Gary W.	2	1	2	9
Kolb, Jr., Frederick J.	2	1	2	2
Vogel, Richard M.	2		2	1
Harvey, Donald M.	~	_	3	4
De Groot, Gerald H.	_	_	2	5
McIntyre. Dale F.	_	~	2	7
Simpson. William H.	_		2	3
Bloom. Richard M.	1	1	_	2






Fig. 27




Fig. 28

MTFA Altitude

All Information 29001




Figure 29